



**Project:**  
 salvation army

**From:**  
 Tableware International Inc.  
 Michael Holliday cell 619.666.5237  
 mike@tfoodservice.com  
 www.TIfoodservice.com

Job Reference Number: 1771

Item	Qty	Description	Sell	Sell Total
1	1 ea	<b>HAND SINK</b>  Klinger's Trading Model No. SSPHS-1000 13X11 Space Saver Hand Sink, wall mount, 11"W x 13"D, 304 type stainless steel construction, 9" x 9" x 4.5" deep bowl, side splashes on left & right, splash mount gooseneck faucet with wrist handles on 4" centers, includes basket drain, NSF Dimensions 11.25(h) x 11(w) x 13(d)	\$138.00	\$138.00
			<b>ITEM TOTAL:</b>	<b>\$138.00</b>
2	1 ea	<b>CONVECTION OVEN, GAS</b>  Bakers Pride Model No. BCO-G1 Cyclone Convection Oven, full-size, gas, single deck, rotary controls, 60 min. timer, 2-speed motor, stainless steel independent doors with double pane thermal glass, (5) racks with 11 positions, stainless steel top, front & sides, 31-3/8" painted legs, 60,000 BTU, cULus, UL EPH Classified Dimensions 63.38(h) x 39(w) x 39(d) 1 ea One year parts & labor warranty standard 1 ea Must specify elevation if over 2000 ft. 1 ea Natural gas 1 ea 120v/60/1-ph, 3.5 amps Class 110 Weight: 565 lbs total	\$2,995.00	\$2,995.00
			<b>ITEM TOTAL:</b>	<b>\$2,995.00</b>
3	1 ea	<b>EXHAUST HOOD</b> Captive-Aire Model No. EXHAUST HOOD 5424ND-2-PSP-F - 10ft 5" Long Exhaust-Only Wall Canopy Hood with Front Perforated Supply Plenum with Built-in 3" Back Standoff x1 - 430 SS Where Exposed x1 - Fire Cabinet on the Left Side 12.00" Width x 54.00" Length x 24.00" Height (Additional charges may apply for cabinet if not sold with fire system)	\$3,444.00	\$3,444.00

- ADD \$300 TO HOOD COST TO COVER THE COST OF THIS UTILITY

Item	Qty	Description	Sell	Sell Total
		CABINET IF THE FIRE SYSTEM IS NOT PURCHASED FROM CAPTIVE-AIRE. THIS COST IS CURRENTLY BUILT INTO THE FIRE SYSTEM PRICE BELOW. x1		
		- FILTER - 20" tall x 16" ( 19.625" by 15.625") wide Stainless Steel Captrate Solo filter with hook, ETL Listed. Particulate capture efficiency: 85% efficient at 9 microns, 76% efficient at 5 microns. Used on hoods shipped AFTER 7/27/17. x7		
		- L55 Series E26 Canopy Light Fixture - High Temp Assembly, Includes Clear Thermal and Shock Resistant Globe (L55 Fixture), Bulbs By Others x3		
		- EXHAUST RISER - Factory installed 14" Diameter X 4" Height x1		
		- SUPPLY RISER - 8"x 36" Supply Riser with Volume Dampers x3		
		- 1/2 Pint Grease Cup New Style, Flanged Slotted x2		
		- RIGHT QUARTER END PANEL 23" Top Width, 0" Bottom Width, 23" High 430 SS x1		
		- LEFT VERTICAL END PANEL 27" Top Width, 21" Bottom Width, 80" High Insulated 430 SS x1		
1 ea		ANSUL ANSUL-3.0 Ansul 3 gallon Fire System in Utility Cabinet (includes pre-piped hood(s) with detection, tank(s), release mechanism, microswitches and pull station).	\$5,407.00	\$5,407.00

Includes piping for hood: 1.

- MGVA2 GAS VALVE -Up to 2" Mechanical Shutoff Valve (Ansul)(28-55610) - Includes Upstream Strainer assembly

- Up to 2" Mechanical Shutoff Valve (Ansul)(28-55610)

- Includes: Factory pre-piped of hoods only (No loose Ansul Parts) with all exposed piping in stainless steel sleeving with chrome plated fittings and required detection lines.

- All loose Ansul parts included in Installation & Final Connections pricing only

-Complete field Installation and test during normal business hours by certified factory installers only in location noted proposal. Single Trip for all final connections and test. Approved plans per provided layout.

**IMPORTANT NOTES:**

\*\* Flush Mount Remote Pull Station (MUST BE ROUGHED IN BY OTHERS)

\*\* FINAL CONNECTIONS & PERMIT ALLOWANCE ARE LISTED BELOW

\*\* PERMIT PRICES are good for 30 Days ONLY

EXCLUDED (Unless specifically listed on quote):

\*\* UNION LABOR, PREVAILING WAGES, SPECIAL OSHPD

REQUIREMENTS, ETC. (Advise if needed)

\*\* K-GUARD FIRE EXTINGUISHER

**OPTIONAL ITEMS:**

1 - Additional Trip: Rough-in, Stub-Out, Hard Lid Ceiling, Re-Test: \$450.00\*\*

1 - Pre-Test (to be performed on same day of Final Inspection):

Item	Qty	Description	Sell	Sell Total
		\$450.00**		
		**Additional Charges may apply depending on location of job site**		
		- ADD \$300 TO HOOD COST TO COVER THE COST OF THE UTILITY CABINET IF THE FIRE SYSTEM IS NOT PURCHASED FROM CAPTIVE-AIRE. THIS COST IS CURRENTLY BUILT INTO THIS FIRE SYSTEM PRICE.		
1 ea		DU180HFA DU180HFA High Speed Direct Drive Centrifugal Upblast Exhaust Fan with, disconnect switch and 18-3/4" wheel. Exhaust Fan handles 2290 CFM @ -1.350" wc ESP, Fan runs at 1150 RPM. Exhaust Motor: 1.000 HP, 3 Phs, 208 V, 60Hz, 3.8 FLA, ODP, Premium (E-Plus3) Eff. x1 - Grease Cup for kitchen-duty centrifugal exhaust fans, Box Dimensions 17-1/8 L X 5-1/16 W X 3-3/4 H (18 GA.) (Includes Down Spout) x1 - EX-1 Curb CRB26.5x20E On Fan #1 Flat Curb x1 - Hinged Base for Curb. Standard Hinge attached to curb. Used on Fans with wheels 20 inches or smaller. 12 GA Galvanized. x1 - Vented Base for Curb x1	\$1,050.00	\$1,050.00
1 ea		A1-G10 A1-G10 Direct Drive Untempered Supply Unit with 10" Blower in Size #1 Housing with speed control, disconnect switch. Supply Fan handles 1625 CFM @ 0.500" wc ESP, Fan runs at 857 RPM. Supply Motor: 1.000 HP, 1 Phase, 115 V, 60Hz, 10.2 FLA, ODP-ECM (Open Drip Proof Electronically Commutated Motor) Down Discharge - Air Flow Right -> Left x1 - Sloped Filtered Intake for Size #1 Modular Untempered Supply Unit. 21.813" Wide x 44.375" Long x 23.375" High. Includes 2" MV EZ Kleen Metal Mesh Filters. x1 - ECM Wiring Package for supply motors with PWM signal from ECPM03 prewire. x1 - Multi-Conductor - Single Shielded Twisted Pair Cable, 18 AWG stranded (19x30) TC conductors, plenum, FEP insulation, overall shield (100% coverage), 20 AWG stranded TC drain wire, FEP jacket. Priced per foot. For use with CORE Interlock Network, light dimming 0-10VDC reference signal, and PWM signal from ECPM03 to ECM. x40 - MAU-1 Curb CRB21X20 On Fan #2 Flat Curb x1	\$8.00	\$8.00
1 ea		DUCT RUN (P1) DW1445DWASY-2R-S Double Wall Duct - 14" Inner 45 Duct - 2 Layers Reduced Clearance - 18" Stainless Steel Outer Shell. x1 (P2) DW1445DWASY-2R-S Double Wall Duct - 14" Inner 45 Duct - 2 Layers Reduced Clearance - 18" Stainless Steel Outer Shell. x1 (P3) DW1447DWLT-2R-S Double Wall Duct - 14" Inner Duct, 47" long - 2 Layers Reduced Clearance - 18" Stainless Steel Outer Shell. x1 (P4) DW1447DWAJDTP-2R-S Double Wall Adjustable Duct Transition Plate - 14" Inner Duct, 47" long - 2 Layers Reduced Clearance - 18" Stainless Steel Outer Shell. Min Length = 11" / Max Length = 48.5" / Adjustment = 30.5" / Adjustable Section May Need To Be Cut.  Includes single and double wall "V" Clamps. x1 (P5) DW23514TPDBEX Duct to Curb Transition 3/4" Down Turn, 23.50" Curb to 14" Duct, 16 GA Aluminized. Used on BDU15 and DU85.	\$1,815.00	\$1,815.00

Item	Qty	Description	Sell	Sell Total
		Transition Plate OD is 23.5" Designed For Use With Exhaust Fan. Non-Standard Part. x1		
		3M-2000PLUS Duct - 3M Fire Barrier 2000 Plus Silicone - Used as sealant to Seal Duct Joints. x2		
		DW14DWCLASY-2R-S Duct - 14" Duct - 18" Double "V" Clamp - 2R Insulation & Single "V" Clamp Included - Reduced Clearance. x2		
		DW18DWRISER-2R-S Double Wall Riser Cover - Used On 14" Inner Riser, 4" long - 2 Layers Reduced Clearance - 18" Stainless Steel Outer Riser Shell Assembly. Includes Insulation & Single V Clamps For Inner & Outer Connections. x1		
1 ea		FACTORY SERVICES – Factory Commissioning, and Design Verification (SDV) – Required for Warranty Activation	\$985.00	\$985.00
		<p>***Assuming all equipment is purchased per this quote, the pricing below includes review and commissioning of hoods, fans, and electrical control panels by a Captive-Aire Service Professional to ensure all Captive-Aire equipment is working correctly as designed. Included is one visit after all mechanical and electrical equipment is fully installed and operational and all inspections have been completed. If electrical and mechanical is not complete and the commissioning cannot be complete, a second trip will not be covered in this price***</p>		
		<p>NOTE: CERTIFIED TEST AND BALANCE AND OFFICIAL REPORT ARE NOT INCLUDED AND ASSUMED TO BE BY OTHERS. x1</p> <p>Service Design Verification for CASLink Ethernet. x1</p> <p>Service Design Verification for Demand Control Ventilation x1</p> <p>Service Design Verification for Exhaust Fan x1</p> <p>Service Design Verification for Hood x1</p> <p>Service Design Verification for Site Meeting w/ additional mileage charge. x1</p> <p>Service Design Verification for Untempered Supply Fan x1</p> <p>Service Design Verification Mileage Charge: (27) x 2 = 54 total miles x1</p>		
			<b>ITEM TOTAL:</b>	<b>\$12,709.00</b>
4	1 ea	<b>RANGE, 36", 6 OPEN BURNERS</b>	\$1,375.00	\$1,375.00
		MVP Group LLC Model No. SR-6-36		
		Sierra Range, natural, gas, 36", (6) 30,000 BTU open burners, manual controls, (1) 32,000 BTU standard oven with porcelain deck & door interior, adjustable oven thermostat, back riser with shelf, stainless steel interior & exterior, galvanized back, (4) 6" adjustable legs, pressure regulator, 212,000 BTU total, cETLus, ETL-Sanitation (ships with LP conversion kit)		
		Dimensions 56.75(h) x 36(w) x 32.3(d)		
	1 ea	1 year parts & labor warranty, standard		
	1 st	108-WK5B Sierra Casters, set of 4, (2) braked	\$150.00	\$150.00
	Class 85	Weight: 410 lbs total		
			<b>ITEM TOTAL:</b>	<b>\$1,525.00</b>



Item	Qty	Description	Sell	Sell Total
5	1 ea	<b>WORK TABLE, 48", STAINLESS STEEL TOP</b> John Boos Model No. UFBSL4830-X Budget Work Table, 48"W x 30"D, 18/430 stainless steel top with 1-1/2" backsplash & Stallion Safety Edge on front, adjustable stainless steel undershelf, stainless steel legs, & adjustable 1" plastic bullet feet, NSF, CSA-Sanitation, KD (FLYER NET PRICING) Dimensions 35.5(h) x 48(w) x 30(d)  Class 70                      Weight: 69 lbs total                      Cube: 4.0	\$316.00	\$316.00
			<b>ITEM TOTAL:</b>	<b>\$316.00</b>
6	1 ea	<b>AIR CURTAIN</b> Mars Air Systems Model No. STD272-2UD-SS Standard Series 2 Air Curtain, for 72" wide door, unheated, 208-230v/60/1-ph, Stainless Steel cabinet (Premium Finish) Dimensions 10.62(h) x 72(w) x 12.75(d)  1 ea 5 year warranty, standard 1 ea Options WITHOUT control panel 1 ea Options WITHOUT time delay 1 ea J0024 Control Package, 24-volt control, magnetic reed switch controller (RIB), use with voltage 208/230/1-ph, and up to 1 HP  Class 125                      Weight: 120 lbs total	\$1,753.00	\$1,753.00
			<b>ITEM TOTAL:</b>	<b>\$1,914.00</b>
7	1 ea	<b>CLEAN DISHTABLE</b> John Boos Model No. JDTC-20-48R-X Dishtable, clean, straight design, 48"W x 30"D x 44"H overall size, for left-to-right operation, 10" boxed backsplash with 45° top & 2" return, rolled front & side rims, 16/300 stainless steel top, stainless steel legs, adjustable bracing, & bullet feet, NSF (FLYER NET PRICING FOR EFFINGHAM AND NEVADA) Dimensions 44.06(h) x 48(w) x 30.38(d)  Class 85                      Weight: 60 lbs total                      Cube: 11.0	\$399.00	\$399.00
			<b>ITEM TOTAL:</b>	<b>\$399.00</b>
8	1 ea	<b>DISHWASHER, DOOR TYPE</b> CMA Dishmachines Model No. AH Energy Mizer® Dishwasher, door type, 25-3/4" W, low temperature chemical sanitizing with priming switches, top mounted controls, auto "start/stop", straight-thru design, (40) racks/hour, delimer switch, Poly Pro™ scrap accumulator, stainless steel construction, includes (1) open & (1) peg rack, 1 HP wash pump, NSF, cULus Dimensions 57(h) x 25.75(w) x 25(d)  1 ea Machine: 115v/60/1-ph, 16.0 amps, standard Class 92.5                      Weight: 259 lbs total	\$3,669.00	\$3,669.00
			<b>ITEM TOTAL:</b>	<b>\$3,669.00</b>

Item	Qty	Description	Sell	Sell Total
9	1 ea	<b>SOILED DISHTABLE</b> John Boos Model No. JDTS-20-48L-X Dishtable, soiled, straight design, 48"W x 30"D x 44"H overall size, for left-to-right operation, (1) 20"W x 20" front-to-back x 8" deep pre-rinse sink, 10" boxed backsplash with 45° top & 2" return, (1) set of splash mount faucet holes with 8" centers, rolled front & side rims, 16/300 stainless steel top, stainless steel legs, adjustable bracing, & bullet feet, NSF, CSA-Sanitation (FLYER NET PRICING FOR EFFINGHAM AND NEVADA) Dimensions 44.06(h) x 48(w) x 30.38(d)	\$673.00	\$673.00
	1 ea	Standard flyer accessories only, NO modifications to flyer items allowed or their accessories		
	1 ea	Fisher 22209 DrainKing Waste Valve, with flat strainer, 12 GPM drain rate, dual teflon seals, stainless steel ball, cast red brass body	\$101.00	\$101.00
	1 ea	PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 straight handle lever waste.	\$18.00	\$18.00
	1 ea	Note: Provisions made at factory for installation.		
	1 ea	PB-DTA-20-01-X Dish Table Pre-Rinse Basket, with welded slide bar, stainless steel construction, fits 20" x 20" pre-rinse sink (FLYER NET PRICING)	\$139.00	\$139.00
	Class 85	Weight: 89.5 lbs total      Cube: 16.0		
			<b>ITEM TOTAL:</b>	<b>\$931.00</b>
10	1 ea	<b>PRE-RINSE FAUCET ASSEMBLY, WITH ADD ON FAUCET</b> Krowne Metal Model No. 17-109WL Krowne Royal Series, pre-rinse Assembly, with add-on faucet, wall mount, 8" centers, spring action flexible gooseneck, 38"H stainless steel hose with 15" overhang & 1.2 GPM spray head, built in check valves, 2.0 GPM add-on faucet with 12" swing spout, quarter-turn ceramic cartridge valves, includes wall bracket & mounting kit, chrome plated brass base, low lead compliant, includes internal check valves to prevent backflow and cross contamination, NSF (interchangeable with most brands) (ships pre-assembled) Dimensions 38(h)	\$331.00	\$331.00
	Class UPS	Weight: 15 lbs total		
			<b>ITEM TOTAL:</b>	<b>\$331.00</b>
12	3 ea	<b>DRAIN, LEVER / TWIST WASTE</b> Krowne Metal Model No. 22-404 Krowne Lever Waste Drain, 3-1/2" sink opening, 2" NPS drain outlet, 1-1/2" reducer with rubber washer, 4-1/2" flange, stainless steel strainer & handle, 1-1/4" overflow outlet with cap drain outlet: 2" NPS outer threads & 1-1/2" female inner threads (overflow outlet accepts overflow head model# 22-500 & overflow elbow model# 22-501)	\$42.00	\$126.00
	Class UPS	Weight: 12 lbs total		
			<b>ITEM TOTAL:</b>	<b>\$126.00</b>

Item	Qty	Description	Sell	Sell Total
11	1 ea	<b>PRE-RINSE FAUCET ASSEMBLY, WITH ADD ON FAUCET</b> Krowne Metal Model No. 17-109WL Krowne Royal Series, pre-rinse Assembly, with add-on faucet, wall mount, 8" centers, spring action flexible gooseneck, 38"H stainless steel hose with 15" overhang & 1.2 GPM spray head, built in check valves, 2.0 GPM add-on faucet with 12" swing spout, quarter-turn ceramic cartridge valves, includes wall bracket & mounting kit, chrome plated brass base, low lead compliant, includes internal check valves to prevent backflow and cross contamination, NSF (interchangeable with most brands) (ships pre-assembled) Dimensions 38(h) Class UPS Weight: 15 lbs total	\$331.00	\$331.00
			<b>ITEM TOTAL:</b>	<b>\$331.00</b>
12	1 ea	<b>THREE (3) COMPARTMENT SINK</b> John Boos Model No. 3B18244-2D18-X "B" Series Sink, 3-compartment, 93"W x 29-1/2"D x 44"H overall size, (3) 18"W x 24" front-to-back x 14" deep compartments, (2) 18" left & right drainboards, 10"H boxed backsplash with 45° top and 2" return, (1) set of splash mount faucet holes with 8" centers, 3-1/2" die-stamped drain openings, 16/300 stainless steel construction, stainless steel legs, adjustable side bracing, adjustable bullet feet, NSF, CSA-Sanitation (FLYER NET PRICING FOR EFFINGHAM AND NEVADA) Dimensions 43(h) x 93(w) x 29.5(d) 1 ea Standard flyer accessories only, NO modifications to flyer items allowed or their accessories 3 ea PB-LWB Lever waste support arm bracket. Not for use with PB-LWS-1 straight handle lever waste. 1 ea Note: Provisions made at factory for installation. Class 250 Weight: 142 lbs total Cube: 43.0	\$1,156.00	\$1,156.00
			<b>ITEM TOTAL:</b>	<b>\$1,210.00</b>
12	3 ea	<b>DRAIN, LEVER / TWIST WASTE</b> Krowne Metal Model No. 22-404 Krowne Lever Waste Drain, 3-1/2" sink opening, 2" NPS drain outlet, 1-1/2" reducer with rubber washer, 4-1/2" flange, stainless steel strainer & handle, 1-1/4" overflow outlet with cap drain outlet: 2" NPS outer threads & 1-1/2" female inner threads (overflow outlet accepts overflow head model# 22-500 & overflow elbow model# 22-501) Class UPS Weight: 12 lbs total	\$101.00	\$303.00
			<b>ITEM TOTAL:</b>	<b>\$303.00</b>
13	1 ea	<b>WORK TABLE, CABINET BASE SLIDING DOORS</b> Klinger's Trading Model No. BCB-3048 Work Table, cabinet base with sliding doors, 48"W x 30"D x 38"H, stainless steel construction, 2"H rear up-turn, turned down edges, 6" legs with adjustable bullet feet Dimensions 38(h) x 48(w) x 30(d) Weight: 145 lbs total	\$1,048.00	\$1,048.00
			<b>ITEM TOTAL:</b>	<b>\$1,048.00</b>

Item	Qty	Description	Sell	Sell Total
14	1 ea	<b>STAINLESS STEEL</b> Custom Model No. STAINLESS STEEL counters at pass through per drawing	\$5,405.00	\$5,405.00
			<b>ITEM TOTAL:</b>	<b>\$5,405.00</b>
15	1 ea	<b>HOT FOOD WELL UNIT, DROP-IN, ELECTRIC</b> Wells Model No. MOD-500TDM Food Warmer, top-mount, built-in, electric, (5) 12" x 20" openings, manifold drains with one valve, wet/dry operation, thermostatic controls, stainless steel interior, insulated aluminum steel housing, cULus Dimensions 9.75(h) x 71.5(w) x 23.63(d) 1 ea Limited 2 year parts & 1 year labor warranty, standard 1 ea Note: Must specify voltage and phase 1 ea 208/240v/60/1-ph or 3-ph, 1.24/1.65 kW per well, field wired (field convertible) Class 85 Weight: 191 lbs total Cube: 16.57	\$2,250.00	\$2,250.00
			<b>ITEM TOTAL:</b>	<b>\$2,250.00</b>
16	1 ea	<b>SERVICE FAUCET</b> Krowne Metal Model No. 16-127 Krowne Royal Series Service Faucet, splash-mounted, 8" centers, 6- 1/2" long heavy cast spout with bail hook & hose thread, bracket can mount above or below, vacuum breaker, rough brass, low lead compliant, NSF, Includes internal check valves to prevent backflow and cross contamination 1 ea 1 year parts & labor warranty, standard Class UPS Weight: 13 lbs total	\$178.00	\$178.00
			<b>ITEM TOTAL:</b>	<b>\$178.00</b>
17	1 ea	<b>LOCKER</b> GSW USA Model No. ELS-6DR Employee Locker, 6-tier, 12"W x 16"D x 77"H, door pulls, grid vented, 6" adjustable legs, powder coated beige Dimensions 77(h) x 12(w) x 16(d) Weight: 65 lbs total	\$172.00	\$172.00
			<b>ITEM TOTAL:</b>	<b>\$172.00</b>



Item	Qty	Description	Sell	Sell Total
18	20 ea	<b>WIRE SHELVING</b> NEXEL Model No. S1848Z Packed 4 ea Shelf, wire, 48"W x 18"D, Poly-Z-Brite™ clear powder-epoxy over zinc-chromate electro-plating finish protected by Nexgard anti-microbial coating Dimensions 48(w) x 18(d)	\$27.00	\$540.00
	10 ea	S1836Z Shelf, wire, 36"W x 18"D, Poly-Z-Brite™ clear powder-epoxy over zinc-chromate electro-plating finish protected by Nexgard anti-microbial coating	\$22.00	\$220.00
	24 ea	P86Z Post, 86"H, numbered grooves that adjusts on 1" increments, includes: leveler & plastic post cap, Poly-Z-Brite™ clear epoxy finish with Nexgard anti-microbial coating (for use with standard wire shelves)	\$12.00	\$288.00
	Class 70	Weight: 815 lbs total		
			<b>ITEM TOTAL:</b>	<b>\$1,048.00</b>
19	1 ea	<b>DECK MOUNT FAUCET</b> Krowne Metal Model No. 13-808L Krowne Commercial Series Faucet, deck mount, 8" centers, 8" swing spout, quarter-turn ceramic cartridge valve, low lead compliant	\$127.00	\$127.00
	Class UPS	Weight: 3 lbs total		
			<b>ITEM TOTAL:</b>	<b>\$127.00</b>
20	1 ea	<b>STAINLESS STEEL</b> Custom Model No. STAINLESS STEEL pass through	\$339.00	\$339.00
			<b>ITEM TOTAL:</b>	<b>\$339.00</b>
21	1 ea	<b>STAINLESS STEEL</b> Custom Model No. STAINLESS STEEL island counter per drawing	\$5,060.00	\$5,060.00
			<b>ITEM TOTAL:</b>	<b>\$5,060.00</b>
22	2 ea	<b>MICROWAVE OVEN</b> Midea Commercial Products Model No. 1025FOA Commercial Microwave Oven, 0.9 cu. ft. capacity, 1000 watts, light duty, full power only for ease of operation, 6-minute dial timer with automatic reset, on door menu guide, interior cavity light, bottom energy feed, side-hinged door with EZ Grab'n Go handle, stainless steel interior cavity, door & exterior wrap, 1500 watts, 15.0 amps, 120v/60/1-ph, NEMA 5-15P, cULus, ETL-Sanitation Dimensions 12.25(h) x 20.13(w) x 17(d)	\$-138.00	\$-276.00
	2 ea	3 year limited exchange warranty, standard Weight: 72.8 lbs total      Cube: 8.390		
			<b>ITEM TOTAL:</b>	<b>\$-276.00</b>
			Merchandise	\$42,248.00
			Freight	\$716.00
			Installation	\$4,500.00
			Tax 7.75%	\$3,274.22
			<b>Total</b>	<b>\$50,738.22</b>

Prices Good Until: 03/30/2019

Important information for new jobs &/or projects.

-Exclusions: electrical connections, electrical interlock connections, plumbing connections, plumbing condensate lines, plumbing drains, freezer condensate drain line heaters, any engineering drawings, any seismic calculations or engineered drawings, mechanical connections, mechanical interlocking connections, structural connections or bracing, structural calculations, union wages, union workers, prevailing wages, fire proofing, core, concrete work, roof curbs, roof jacks, overtime (Unless noted), permits, fees, cranes, storage, dumpsters, walk-in pit water proofing, OSHPD installation, any seismic installations noted on plans and written spec, any item not specified on equipment schedule or included in attached proposal.

- Wall Backing is the responsibility of the Owner/General Contractor. No warranty provided for installation of wall mounted items or any damage caused by failure due to equipment installed without proper wall backing.

-Good held over 60 days subject to storage fees.

This proposal includes special order items. No refunds, cancellations or exchanges on any special order item after customer approval.

Acceptance: \_\_\_\_\_ Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Project Grand Total: \$50,738.22